



Fortify WebInspect Agent Rulepack Kit

Rulepack Kit Guide

May 12, 2021

Software Version: 21.1.0

Document Release Date: July 2021

Software Release Date: July 2021

Introduction

This document describes the detection capabilities of Micro Focus Fortify WebInspect Agent Rulepack Kit. The Fortify WebInspect Agent Rulepack Kit runs atop Fortify's Runtime Agent, allowing it to monitor your code for software security vulnerabilities as it runs. Fortify WebInspect Agent Rulepack Kit provides the runtime technology to help connect your dynamic results to your static ones.

There are four major types of rules in Fortify WebInspect Agent Rulepack Kit, the details of these rules will be discussed in the following sections.

1. Vulnerability Rules
2. Attack Surface Rules
3. Trace Rules
4. Platform Rules

Output from vulnerability rules will be logged to Runtime Agent event log (if configured) in standard Micro Focus Fortify WebInspect Agent event log format. However, attack surface and trace rules will only be sent to Fortify WebInspect and will not be logged in event log. Platform rules do not generate any events.

Vulnerability Rules

Vulnerability rules improve Micro Focus Fortify WebInspect scanning by:

1. Reporting security vulnerabilities that Fortify WebInspect does not typically find. For example, Fortify WebInspect might not be able to find certain types of Blind SQL Injection while Fortify WebInspect Agent intercepts all SQL database operations, will be able to detect it.
2. Reporting code level details to Fortify WebInspect. For example, in the case of a Cross-site Scripting attack, Fortify WebInspect Agent can report the user source file name, line number and any other related stack traces which are very useful to developers when fixing the vulnerability reported.

Fortify WebInspect Agent sends the attack string being used in each request to Fortify WebInspect Agent in a custom HTTP header. Most vulnerability rules detect vulnerabilities by comparing the security sensitive parameter or argument with the Fortify WebInspect provided attack vector. For example, for SQL Injection rules, the monitor will check if the SQL query string contains the attack vector, which may be `' or 1=1 --`.

Both Java and .NET Fortify WebInspect Agent Rulepack Kits can detect the following vulnerabilities:

- Arbitrary File Upload
- Command Injection
- Credit Card Number Disclosed
- Cross-Site Scripting
- Dangerous File Inclusion: Local
- Dangerous File Inclusion: Remote
- Denial of Service: Parse Double
- Insecure Randomness
- Leftover Debug Code
- Mass Assignment: Insecure Binder Configuration
- Open Redirect
- Privacy Violation: Credit Card Number
- Privacy Violation: Social Security Number
- SQL Injection
- Social Security Number Disclosed
- Value Shadowing
- XML External Entity Injection
- XML Entity Expansion Injection

Additionally, the Java Fortify WebInspect Agent Rulepack Kit can detect the following vulnerabilities:

- ClassLoader Manipulation: Struts
- Header Manipulation: IMAP
- Header Manipulation: SMTP
- Mail Command Injection: IMAP
- Mail Command Injection: POP3
- Mail Command Injection: SMTP
- Transport Layer Protection: Insecure Mail Transmission

Attack Surface Rules

Attack Surface Rules is used to report the list of the available web pages and URLs to Micro Focus Fortify WebInspect. Fortify WebInspect can then use this information to find hidden pages or pages that the crawler failed to find.

Supported attack surfaces are:

Java	.NET
Tomcat/WebSphere	IIS
JAX-RS	WCF

Trace Rules

Trace rules report various events to Micro Focus Fortify WebInspect to help Fortify WebInspect have a better insight into the application being tested. For example, a File_IO trace may notify Micro Focus Fortify WebInspect that the application is reading a particular file. Fortify WebInspect may then use the information to determine if the file operation is expected and/or if a “Path Manipulation” test should be conducted afterwards.

Both Java and .NET Fortify WebInspect Rulepack Kits can detect the following traces:

Trace Type	Operations
Database	execute, close
Attack Suggestion	N/A
Session	start, stop
File IO	open, read, write, close
Authentication	logon, logoff
Authorization	successful, failure
Unused Parameter	N/A
Network	stream

Trace Type	Operations
HTTP/URL Connection	init
OAuth	client_version, server_version, token, store_token, store_access_token, request
Validation Failure	struts, spring, webcontrols
autobind	trace_spring_modelattribute, trace_spring_modelmap, trace
email	smtp_send, email_secure, smtp_command, imap_command, pop3_command

Platform Rules

Platform rules do not detect any vulnerabilities or events but modify the application or platform to be more suitable for vulnerability scanning.

The list of all supported platform rules is as follows:

Rule	Java	.NET
Enable DEBUG in web.config*	N/A	YES
Disable CAPTCHA	ReCaptcha SimpleCaptcha jCaptcha Are You A Human? NuCaptcha	ReCaptcha BotDetect NuCaptcha
Unlimited password retries	N/A	Standard MembershipProvider
Prevent accidentally changing password	N/A	Standard MembershipProvider

* DEBUG is required in order to retrieve line numbers in a stack trace.



Contact Micro Focus Fortify Customer Support

If you have questions or comments about using this product, contact Micro Focus Fortify Customer Support using one of the following options.

To Manage Your Support Cases, Acquire Licenses, and Manage Your Account

<https://www.microfocus.com/support>

For More Information

For more information about Fortify software products:

<https://www.microfocus.com/solutions/application-security>